



# Undermount Kitchen Sink

## INSTALLATION INSTRUCTIONS



**IMPORTANT:**

1. We strongly recommend that the product be installed by a licensed plumber.
2. We recommend at least two people to lift or mount the sink.

## TOOLS


**Safety Glasses / Marker / Silicone Adhesive Sealant / Tape Measure / Jigsaw / Rags / Wood Support Blocks / Level / Screws / Bladed Screwdriver**

### Step 1: Position the Cutout Template and Trace the Outline.

- Confirm that the cutout template matches the actual sink size.
- Place the template in the desired location on the countertop.
- Secure it if needed, then trace the outline with a pencil.

### Step 2: Cut the Opening

- Cut along the traced outline using the proper saw for your counter top material.




### Step 3: Drill the Mounting Holes

- Turn the counter top over and drill 3/8" diameter × 1/2" deep holes, positioned 1/2" from the sink edge.
- Insert the anchors and lightly tap them with a hammer until flush.


### Step 4: Secure the Sink to the Counter top

- Apply a continuous bead of silicone around the sink rim on the underside of the counter top.
- Align the sink with the cutout and press it firmly into place.





### Step 5: Attach the Mounting Hardware

- Install the fixing clamps and screws to secure the sink to the countertop.
- Remove any excess sealant around the rim.
- Allow the sealant to cure for 30–60 minutes.



### Step 6: Install the Plumbing Fixtures

- Connect the drain assembly to the sink, then attach the trap.
- Connect the water supply lines to the faucet following the manufacturer’s instructions.
- Run water and check all connections for leaks.



### **MAINTENANCE INSTRUCTIONS Do:**

1. Clean daily with soft towel to wipe the sink with warm water, mixing in some washer fluid is advisable. Remember to wipe it dry.
2. If any mineral substance is built up on the sink, clean it up as soon as possible. Properly remove the rust, molds, or scratches with a scouring pad, rubbing the sink in the direction of the brush.
3. Rub it slightly with a soft towel in the direction of brushed lines

### **DO NOT**

1. Leave water spots, utensils, or steel cook-ware in the sink for a long time, which could become rust spots on your sink surface.
2. Leave cleaning agents or bleach sitting in your sink for a long time, which may cause the sink to discolor or damage the surface.
3. Use steel wool or a scouring pad to rub.
4. Leave rubber mats, cleaning pads, or sponges in the sink for a long time as this may ruin the finish of your sink.
5. Cut food in the sink.
6. The hard water may also cause rust stains.

### **FAQS**

#### **1. Why are there rust in my new kitchen sink?**

- 1.1 Iron pan or other metal pans are left in the sink for days.
- 1.2 Utensils or flatware are left in the sink for days.
- 1.3 Metal cans (pet food cans, vegetable cans, etc.) are left in the sink for days.
- 1.4 The water contains iron (suggestion: get an iron filter to help alleviate this issue).
- 1.5 Certain dish soaps contained by metal bottle or built-in soap dispenser.
- 1.6 Wet sponges or colored towels are left in the sink for days.

#### **Prevention and Treatments:**

- 1.1 Install the sink after all renovation work is done and clean your sink right after installation.
- 1.2 Clean your sink after each use.
- 1.3 Properly remove the rusts and molds using a scouring pad.

#### **2. What will scratch or harm the sink?**

- 2.1 Improper packaging and accessories can lead to scratch marks during transit.
- 2.2 The sink can be easily scratched by sharp objects, please use soft cloth to clean the sink.

#### **Prevention and Treatments:**

- 1.1 Minor scratch: Use a sponge with toothpaste to polish it repeatedly.
- 1.2 Moderate scratch: Use a scouring pad to polish small areas.
- 1.3 Serious scratch: Purchase stainless steel polisher.



1.877.418.0603

customerservice@canovii.ca

www.Luvin.ca

27465 55 Avenue, Langley, BC, Canada  
V4W 3Y1

